

Appendix 1 to Gong J, Wang J, Luo X, et al. Abnormalities of intrinsic regional brain activity in first-episode and chronic schizophrenia: a meta-analysis of resting-state functional MRI. *J Psychiatry Neurosci* 2019.

DOI: 10.1503/jpn.180245

© Joule Inc.

Online appendices are unedited and posted as supplied by the authors.

Abnormalities of intrinsic regional brain activity in first episode and chronic schizophrenia: a meta-analysis of resting-state functional MRI

Supplementary materials




Figure S1. Alterations in ALFF in medication-naive FE patients with SZ compared to HCs. Areas with decreased ALFF relative to controls are displayed in blue, and areas with increased ALFF are displayed in red. The color bar indicates the maximum and the minimum SDM-Z values.

Abbreviations: FE = first episode; SZ = schizophrenia; HCs = healthy controls; ALFF = amplitude of low-frequency fluctuations; SDM = seed-based d mapping.

Appendix 1 to Gong J, Wang J, Luo X, et al. Abnormalities of intrinsic regional brain activity in first-episode and chronic schizophrenia: a meta-analysis of resting-state functional MRI. *J Psychiatry Neurosci* 2019.

DOI: 10.1503/jpn.180245

© Joule Inc.

Online appendices are unedited and posted as supplied by the authors.

Table S1 Quality assessment checklist (score 0/0.5/1 per item; total score out of 10)*

Category 1: Participants

1. Patients were evaluated prospectively, specific diagnostic criteria were applied, and demographic data were reported.
2. Healthy comparison participants were evaluated prospectively, psychiatric and medical illnesses were excluded.
3. Important variables (e.g., age, sex, illness duration, onset, medication status, comorbidity, severity of illness) were checked either by stratification or statistically.
4. Sample size per group > 10.

Category 2: Methods for image acquisition and analysis

5. Whole brain analysis was automated with no a priori regional selection.
 6. Coordinates reported in a standard space.
 7. The imaging technique used was clearly described so that it could be reproduced.
-

Appendix 1 to Gong J, Wang J, Luo X, et al. Abnormalities of intrinsic regional brain activity in first-episode and chronic schizophrenia: a meta-analysis of resting-state functional MRI. *J Psychiatry Neurosci* 2019.

DOI: 10.1503/jpn.180245

© Joule Inc.

Online appendices are unedited and posted as supplied by the authors.

8. Measurements were clearly described so that they could be reproduced.

Category 3: Results and conclusions

9. Statistical parameters for significant and important nonsignificant differences were provided.

10. Conclusions were consistent with the results obtained and the limitations were discussed.

*When criteria were partially met, 0.5 points were awarded.

Appendix 1 to Gong J, Wang J, Luo X, et al. Abnormalities of intrinsic regional brain activity in first-episode and chronic schizophrenia: a meta-analysis of resting-state functional MRI. *J Psychiatry Neurosci* 2019.

DOI: 10.1503/jpn.180245

© Joule Inc.

Online appendices are unedited and posted as supplied by the authors.

Table S2. Clusters of ALFF differences in medication-naive FE patients with SZ

	Cluster	Anatomical label	Peak MNI coordinate (x, y, z)	No. of voxels	SDM-Z value	p value
FE > control	1	Right putamen	26, 6, -4	2749	5.148	$< 1.0 \times 10^{-6}$
	2	Left putamen	-22, 8, 2	1870	4.451	$< 1.0 \times 10^{-6}$
FE < control	3	Left mPFC, BA 11	-2, 48, -12	1551	-3.191	$< 1.0 \times 10^{-6}$
	4	Right angular gyrus/IPG, BA 39	48, -60, 26	853	-2.107	0.000253
	5	Right precuneus	4, -54, 16	281	-2.072	0.000304

Abbreviations: ALFF = amplitude of low-frequency fluctuations; FE = first episode; SZ = schizophrenia; BA = Brodmann area; MNI = Montreal neurological institute; SDM = seed-based d mapping; mPFC = medial prefrontal cortex.

Appendix 1 to Gong J, Wang J, Luo X, et al. Abnormalities of intrinsic regional brain activity in first-episode and chronic schizophrenia: a meta-analysis of resting-state functional MRI. *J Psychiatry Neurosci* 2019.

DOI: 10.1503/jpn.180245

© Joule Inc.

Online appendices are unedited and posted as supplied by the authors.

Table S3. Heterogeneity of ALFF alterations in FE, chronic patients with SZ, and total patients with SZ

Anatomical label	Peak MNI coordinate (x, y, z)	No. of voxels	SDM-Z value	Heterogeneity	p value
Total patients with SZ					
Left putamen	-26, -2, 8	491	3.906	No	< 1.0 x 10 ⁻⁶
Right precentral gyrus, BA 6	52, -8, 42	307	1.792	No	0.000470
Right ITG, BA 20	60, -34, -18	182	2.208	No	0.000201
Right putamen	28, -2, 12	150	2.393	Yes	0.000134
Left gyrus rectus, BA 11	-8, 50, -20	131	2.148	No	0.000248
Right ACC	14, 14, 4	92	1.672	Yes	0.000635
Left MOG, BA 19	-36, -84, -2	67	1.604	No	0.000717
Left MTG, BA 21	-54, 0, -30	30	1.195	No	0.001646
Left SFG, BA 10	-18, 66, 4	29	1.141	No	0.001806
Right SOG, BA 19	26, -84, 32	30	1.274	Yes	0.001388
FE patients with SZ					
Left gyrus rectus, BA 11	-8, 50, -20	327	3.152	No	0.000031
Left putamen	-24, 0, 8	243	3.985	Yes	< 1.0 x 10 ⁻⁶
Right putamen	26, 0, 10	249	3.321	Yes	0.000026
Right putamen	20, 14, -6	99	1.841	Yes	0.000981
Right IPG, BA 40	44, -54, 50	41	1.536	Yes	0.001780

Appendix 1 to Gong J, Wang J, Luo X, et al. Abnormalities of intrinsic regional brain activity in first-episode and chronic schizophrenia: a meta-analysis of resting-state functional MRI. *J Psychiatry Neurosci* 2019.

DOI: 10.1503/jpn.180245

© Joule Inc.

Online appendices are unedited and posted as supplied by the authors.

Left MFG, BA 8	-24, 8, 58	29	1.660	No	0.001373
Right precuneus	8, -46, 40	16	1.574	Yes	0.001672
Chronic patients with SZ					
Right ITG, BA 20	60, -34, -18	273	3.870	No	0.000062
Right caudate	14, 14, 4	121	3.201	No	0.000299
Left MTG, BA 21	-54, 0, -28	87	2.995	No	0.000470
Left MOG, BA 19	-36, -84, 0	60	3.006	No	0.000459
Left SFG, BA 10	-18, 66, 4	62	2.798	Yes	0.000748
Right SOG, BA 19	28, -84, 32	25	2.632	Yes	0.001182
Left heschl gyrus, BA 48	-42, -18, 6	20	2.000	No	0.004278
Left IPG, BA 39	-56, -56, 36	19	2.178	No	0.003076
Right IFG, triangular part	48, 42, 0	12	2.115	Yes	0.003416
Left precuneus, BA 7	-8, -62, 66	10	2.073	Yes	0.003762

Abbreviations: ALFF = amplitude of low-frequency fluctuations; FE = first episode; SZ = schizophrenia; BA = Brodmann area; No. = number;

MNI = Montreal neurological institute; SDM = seed-based d mapping; MFG = middle frontal gyrus; ITG = inferior temporal gyrus; MTG =

middle temporal gyrus; MOG = middle occipital gyrus; SFG = superior frontal gyrus; SOG = superior occipital gyrus; IPG = inferior parietal

gyri; IFG = inferior frontal gyrus; ACC = anterior cingulate cortex.

Appendix 1 to Gong J, Wang J, Luo X, et al. Abnormalities of intrinsic regional brain activity in first-episode and chronic schizophrenia: a meta-analysis of resting-state functional MRI. *J Psychiatry Neurosci* 2019.

DOI: 10.1503/jpn.180245

© Joule Inc.

Online appendices are unedited and posted as supplied by the authors.

Table S4 Meta-regression analyses: factors affecting ALFF in studies of patients with SZ

		Anatomical label	Peak MNI coordinate (x, y, z)	No. of voxels	SDM-Z value	p value
Total patients with SZ						
Effects of positive score	PANSS	ALFF alterations in studies with higher PANSS positive score				
		Left precuneus, BA 7	-10, -64, 68	18	-4.068	0.000041
		Right precuneus, BA 29	4, -42, 6	86	4.934	0.000015
Effects of negative score	PANSS	ALFF alterations in studies with higher PANSS negative score				
		Left precuneus, BA 7	-10, -64, 68	18	-4.417	0.000046
		Right precuneus, BA 29	4, -42, 6	59	5.169	< 1.0 x 10 ⁻⁶
Effects of general psychopathology score	PANSS	ALFF alterations in studies with higher PANSS general psychopathology score				
		Right putamen	32, 0, 4	364	3.548	< 1.0 x 10 ⁻⁶
		Right IFG, BA 45	48, 40, -4	380	-3.458	0.000015
		Right IFG, BA 48	52, 16, 20	73	-2.847	0.000134
		Right ACC, BA 32	8, 42, 26	46	-2.834	0.000144
		Left ITG, BA20	-50, -24, -24	38	-2.663	0.000299

Appendix 1 to Gong J, Wang J, Luo X, et al. Abnormalities of intrinsic regional brain activity in first-episode and chronic schizophrenia: a meta-analysis of resting-state functional MRI. *J Psychiatry Neurosci* 2019.

DOI: 10.1503/jpn.180245

© Joule Inc.

Online appendices are unedited and posted as supplied by the authors.

FE patients with SZ

Effects of positive score	PANSS	ALFF alterations in studies with higher PANSS positive score				
		Right IPG, BA 40	44, -54, 50	218	3.848	< 1.0 x 10 ⁻⁶
		Right precuneus	6, -54, 14	116	3.740	< 1.0 x 10 ⁻⁶
		Left mPFC	-24, 10, 58	29	3.113	0.000062
Effects of negative score	PANSS	ALFF alterations in studies with higher PANSS negative score				
		Right putamen	22, 14, -10	13	-2.685	0.000222
Effects of general psychopathology score	PANSS	ALFF alterations in studies with higher PANSS general psychopathology score				
		None				

Chronic patients with SZ

Effects of positive score	PANSS	ALFF alterations in studies with higher PANSS positive score				
		Left SFG, BA 10	-18, 64, 4	29	5.226	< 1.0 x 10 ⁻⁶
		Left precuneus, BA 7	-10, -64, 68	19	-4.804	0.000005
Effects of negative score	PANSS	ALFF alterations in studies with higher PANSS negative score				
		Left precuneus, BA 7	-10, -64, 68	18	-4.674	0.000015
Effects of general psychopathology score	PANSS	ALFF alterations in studies with higher PANSS general psychopathology score				

Appendix 1 to Gong J, Wang J, Luo X, et al. Abnormalities of intrinsic regional brain activity in first-episode and chronic schizophrenia: a meta-analysis of resting-state functional MRI. *J Psychiatry Neurosci* 2019.

DOI: 10.1503/jpn.180245

© Joule Inc.

Online appendices are unedited and posted as supplied by the authors.

general psychopathology

score

Right ACC, BA 32	8, 42, 26	181	-3.282	0.000046
Left ITG, BA 20	-50, -26, -24	172	-3.067	0.000077
Right IFG, BA 47	44, 36, -6	73	-2.744	0.000144

Abbreviations: ALFF = amplitude of low-frequency fluctuations; FE = first episode; SZ = schizophrenia; BA = Brodmann area; MNI = Montreal neurological institute; SDM = seed-based d mapping; PANSS = Positive and Negative Syndrome Scale; IFG = inferior frontal gyrus; ACC = anterior cingulate cortex; ITG = inferior temporal gyrus; IPG = inferior parietal gyri; mPFC = medial prefrontal cortex; SFG = superior frontal gyrus.

Appendix 1 to Gong J, Wang J, Luo X, et al. Abnormalities of intrinsic regional brain activity in first-episode and chronic schizophrenia: a meta-analysis of resting-state functional MRI. *J Psychiatry Neurosci* 2019.

DOI: 10.1503/jpn.180245

© Joule Inc.

Online appendices are unedited and posted as supplied by the authors.

Table S5. Clusters of ALFF differences between FE and chronic patients with SZ compared to controls.

Cluster	Anatomical label	Brain network	Peak MNI coordinate (x, y, z)	No. of voxels	SDM-Z value	p value
FE > Chronic						
1	Left postcentral gyrus, BA 4	SMN	-52, -12, 38	1036	2.903	0.000036
2	Left precuneus, BA 7	DMN	-6, -58, 62	717	3.620	< 10 ⁻⁶
3	Right precentral gyrus, BA 4	SMN	50, -14, 42	479	2.056	0.001063
4	Left putamen		-28, 0, 0	132	1.860	0.002297
5	Right putamen		28, 0, 4	22	1.786	0.002921
Chronic > FE						
1	Right PCC	DMN	4, -46, 10	400	-2.765	0.000268
2	Left SFG, BA 10		-18, 64, 4	69	-2.079	0.002369

Abbreviations: ALFF = amplitude of low-frequency fluctuations; FE = first episode; SZ = schizophrenia; BA = Brodmann area; MNI = Montreal neurological institute; SDM = seed-based d mapping; PCC = posterior cingulate cortex; SFG = superior frontal gyrus.

Appendix 1 to Gong J, Wang J, Luo X, et al. Abnormalities of intrinsic regional brain activity in first-episode and chronic schizophrenia: a meta-analysis of resting-state functional MRI. *J Psychiatry Neurosci* 2019.

DOI: 10.1503/jpn.180245

© Joule Inc.

Online appendices are unedited and posted as supplied by the authors.

Table S6. Clusters of ALFF differences between chronic SZ patients and HCs after FDR correction ($p < 0.05$).

	Anatomical label	Brain network	Peak coordinate (x, y, z)	MNI	No. of voxels	SDM-Z value	p value	Egger's test (p value)	JK
Chronic < HCs	Right postcentral gyrus, BA 4	SMN	46, -20, 44		2517	-5.160	$< 1.0 \times 10^{-6}$	0.591	15/15

Abbreviations: ALFF = amplitude of low-frequency fluctuations; SZ = schizophrenia; HCs = healthy controls; BA = Brodmann area; MNI = Montreal neurological institute; SDM = seed-based d mapping; JK = Jackknife sensitivity analysis; SMN = sensorimotor network.